App F IX 4

Previous References 1928. (Nil) File No 74 28

Serial Nos 325

Later References

General and Revenue Secretariat.

Serial Nos

Part B for Feb 29

SUBJECT

Dakka

Proposal of the Municipal Council to meet half the Cost of the water Connected with the Repairs and improvements to Dakka Water Supply by Govt

3 Do, the D C Dacca, the Chief Engineer & the Comptroller to Govt No L 55 34-6/L 7/3 2 29

Sanctions the proposal referred to above

HS 20/2/29

General and Revenue Secretariat

Rec File No 74 of 1928

App F III

Serial No

3. Letter no 3-1449 dt 28 12 from the DC Kandy states that he has received to have an outlet valve across the bund of the water supply tank, the Engr estimate for Rs 550 has been received for the work & recommending that Govt may grant the necessity of the cost out of the P W D for the current year as the Mal Cc is unable to meet the charge

At their meeting dt 10 12 28 the Mal Cc have approved of an expenditure of Rs 660 for the work which they want Govt to meet as the funds is too low The DC has however recommended that half of Rs 330 may be paid by Govt the Chief Engr may perhaps be consulted on the proposal. & I move the sum from the P W D funds

Yes Recy Yes-Mal Cc

4/29 4/29

12/29

Rs 0 Nil 81-28

4/29

Note Contn. sheet

Forwarded Mr Chief Engineer RM 11/29

11/1/29

WD 02—GPH—30 000—21 8 28

285

App F III—2]

General and Revenue Secretariat

MR File No 74 of 1928

Serial No

:0794222:

Returned, with compliments, to the Genera Secretary to Government

2 Since the cost of the water supply to Kopp was met both by Government and the Municipality equally, the present charge also may be met in the same proportion and the Government share of the cost made available from "30 Grants for Public Improvements" There is no amount available out of Rs 50,000 sanctioned for water supply to towns. &c

Jhs Bdore 12 29

Chief Engineer of Mysore

Bangalore,

February 1929

RG 2/2/29

V W S

The grant of ½ the cost may be sanctioned As no amount is paid to be available under the Water Supply allotment for the year, the Dept may meet the whole cost and the govt share may be paid to them next year. ~~and~~ The Chief Engineer may keep this in view in preparing allotment of funds under the Grants next year

2nd Member

The Ch Engrs suggestion may be adopted

OFFICE OF THE SECRETARY TO GOVT MYSORE 4 FEB 1929 No 594

NOTE—Contn sheet

WD 02 —GPB— 30 000—21 8 28

App F III—2]

General and Revenue Secretariat — File No 74 of 192 8.

Serial No

Draft for me -

5 E & O 2 a & K 5J 34 - 6 8, 13 2 29
Sanctions the proposal to [illegible] half the cost [illegible] that necessary provision [illegible] be made next year under Water [illegible]

15/2 GEN & REV SEC'T 16 FEB 1929

NOTE—Contn Sheet

WD 01714—GPB—30 000 18-4 26

ML 71-28-3

No A3-1449-25
Enc One

Office of the Deputy Commissioner,
Kadur District
Chikmagalur, Dated 24th December 1925

From

H V Ramaswami, Esq , L A , B L ,
DEPUTY COMMISSIONER,
KADUR DISTRICT

To

Ranga Rao, Esq , B L ,
SECRETARY TO THE GOVERNMENT OF
HIS HIGHNESS THE MAHARAJA OF MYSORE,
General DEPARTMENT,
BANGALORE.

SIR,

I have the honor to state that the flow of water having failed on account of the valve of the water supply tank to Kopa town suddenly ceasing to work, the Executive Engineer Water Supply Department was wired to by the Municipal Council An Assistant Engineer of the Department was deputed by the latter to set matters right In order to effect the necessary repairs, the bund had to be breached, as there was no other way for doing the same

2 The Council on the suggestion of the water supply department have now resolved in their meeting held on 19-12-1925, to have an outlet valve with a 9 " pipe line across the bund of the tank to prevent future breaching of the bund whenever scouring and other repairs are found necessary to ensure the smooth flow of water

3 The Sanitary and Town Planning Engineer has now forwarded an estimate for ₹ 550/- in connection with the above work for the countersignature of the President, and requests that the amount should be deposited immediately at his credit for putting the work on hand

4 The Council on account of their elections ...

From

The Deputy Commissioner,
Kadur District

To

The Secretary to the Government of
His Highness the Maharaja of Mysore,
Department
BANGALORE

Dated

De patched

Received

General No
No

Enclosure No

SUBJECT

funds at their ~~audit~~ credit, have in their meeting held on 10-12-1925 (copy enclosed) resolved to address Government to bear the cost of the work in question

5 The spot was also inspected by me I found that the representations made by the Council were true I therefore request that Government may be pleased to grant the moiety of the cost out of the D P W Budget for the current year

I have the honour to be,
Sir,
Your most obedient servant,

H C Ramaswamy

Deputy Commissioner,
Kadur District

(2)

Resolved that an amount of Rs 660/- the probable Estimate cost for laying a Sluice to the Hirekere water Supply Tank for purposes of Scouring etc be deposited to the credit of the D p w So that the work may be put in hand immediately and that Government be requested to meet the cost Since the Municipality is too poor to bear the same and it is very necessary to provide the Sluice

Extract.

for president

Municipal council

10 12 28 Koppa

GRS VF[illegible]

SUBJECT.

(To be typed after approval)

Diary No of letter replied to

General and Revenue Secretariat

( )

the *192*

Date of issue 13/2/29

Signed by Mr D R Sayer

Section Jud
File No 74-28
Serial No 57

Proceedings of the Government of His Highness the Maharaja of Mysore

Read— Letter no A 3 1449 dy 28 12 28 from the Secretary, [illegible] stating that an estimate for Rs 557 has been received from the Secretary Town Planning Committee for effecting certain repairs & improvements to the Kachcheri Wells Sanitary tank and ~~Order Thereon No~~ ~~Secretariat to the estimate~~ ~~of the work at Head~~ ~~Office~~ ~~Kachcheri~~ ~~Wells~~ ~~Sanitary~~ ~~tank~~ ~~and~~ ~~improvements~~ ~~to~~ ~~the

9b

Order No L5534-5 dd 13 2 29

- is amended to
read as follows, half the
Cost being borne by Govt
as recommended by the
D C and" agreed to by the
Colonial Engineer (The whole Govt
Share of the Cost of the work
will now be met out of
the funds, the Govt share
being made available under
under "30 Grants for
Public Improvements
under Loan Improve
ments - Water Supply
to Lewes" The Chief Engineer to carry with
to keep the interest on all funds under Work
Supply Ways Year

for Secretary

To
The Director
The Chief Engr
The Comptroller

Last of enclosures

Copied by

Examined by

WD 1988—GPB—1 000 00- 21 12 21

Exhn

9

Proceedings of the Government of His Highness the Maharaja of Mysore.

R e a d:-

Letter No.A.3.1449 dated, the 28th December 1928, from the Deputy Commissioner, Kadur, stating that an estimate for Rs.88 has been received from the Sanitary and Town Planning Engineer, for effecting certain repairs and improvements to the water supply tank and recommending that half the cost of the work may be borne by Government as the Municipal Council plead incapacity of funds.

ORDER NO.L. 3334-6/ Mel 74-28-5

Dated, Bangalore, the 9th February 1929.

Sanctionxx is accorded to half the cost being borne by Government as recommended by the Deputy Commissioner and agree to by the Chief Engineer. As no funds are available for the purpose during the current year, the whole cost of the work will now be met from the Municipal funds, the Government share being made available next year under "30 Grants for Public Improvements Water supply to Towns" The Chief Engineer is requested to keep this in view in allotting funds under water supply next year.

Assistant General Secretary to Government.

To

The Deputy Commissioner, Kadur District, with records.
The Chief Engineer of Mysore.
The Comptroller to the Government of Mysore.

K.M.R.5.
9/2.